CMSC 341 Data Structures Priority Queue Review

October 26, 2010

- 1. Define the following terms
 - (a) priority
 - (b) priority queue
 - (c) min binary heap
 - (d) partial ordering
 - (e) null path length in a binary tree
 - (f) leftist binary tree
 - (g) leftist heap
- 2. Insertion and deletion (of the minimu element) in a (min) binary heap are $O(\lg n)$ on average. Explain why this is so.
- 3. Finding the minimum element in a (min) binary heap is O(1) in the worst case. Explain why this is so.
- 4. Although a binary heap is conceptually a binary tree, it can be implemented as an array. Explain why this is so.
- 5. In a min binary heap with N elements, what is the range of indicies in which the largest element will be found?
- 6. Describe, in English, an algorithm to find the largest element in a min binary heap. Wht is the asymptotic worst-case performance of your algorithm?
- 7. Assume that the array representing a min binary heap contains the values 2, 8, 3, 10, 16, 7, 18, 13, 15. Show the contents of the array after inserting the value 4.
- 8. Assume that the array representing a min binary heap contains the values 2, 8, 3, 10, 16, 7, 18, 13, 15. Show the contents of the array after deleting the minumum element.

- 9. Show the array representing the min binary heap constructed using the initial values 18, 2, 13, 10, 15, 3, 7, 16, 8.
- 10. Prove that the largest element in a min binary heap is a leaf.
- 11. Prove that a complete binary tree is a leftist tree.
- 12. Prove for any leftist tree with N nodes, the number of nodes, R, on the rightmost path to a non-full node is given by

$$R \le lg(N+1)$$

- 13. Given the drawing of a binary tree, determine if the tree is a leftist tree and if it is a leftist heap. Give reasons why or why not.
- 14. Given the drawings of two leftist heaps, draw the leftist heap that results from merging them.
- 15. Describe how to perform the **findMin**, **insert**, and **deleteMin** operations on a leftist heap.
- 16. Describe a method for constructing a leftist heap from an initial set of N values. Your algorithm must run in O(N) time.