CMSC201 Computer Science I for Majors

Lecture 18 – String Formatting

Last Class We Covered

- Recursion
 - Recursion
 - Recursion
- Fibonacci Sequences
- Recursion vs Iteration

Any Questions from Last Time?

Today's Objectives

- To understand the purpose of string formatting
- To examine examples of string formatting
 - To learn the different type specifiers
- To briefly discuss tuples
- To learn the details of string formatting
 - Alignment
 - Fill characters

Basic String Formatting



Common Use Cases

- How can we...
 - Print a float without the decimals?

```
print( int(myFloat) )
```

• But what if we wanted it rounded up?

Accomplishing either of these would require a lot of extra work

– Line information up into columns?


```
print(column1, "\t", column2)
```

But what about when one thing is very long/short?

String Formatting Possibilities

- Align text left, right, or center
- Create "padding" around information
- Choose the padding character
- Control precision of floats
 - Including automatically rounding up

Anatomy of String Formatting



This would output:

hello **world**

UMBC

Type Specifiers

- String formatting often needs to know the exact type of the data it's formatting
 - Or at least how it should be handled
- The three specifiers are
 - **d** integer
 - **f** float
 - **s** string

These are common specifiers shared by many languages, including Python, C/C++, and Java.




Integer Formatting Examples

```
>>> classNum = 201
>>> print("Welcome to {}!".format(classNum))
Welcome to 201!
                       If nothing is specified, no
                         formatting is applied
>>> print("Welcome to {:5d}!".format(classNum))
Welcome to
             201!
                        Specifying "too many"
                        digits will add padding
>>> print("Welcome to {:05d}!".format(classNum))
Welcome to 00201!
                      Adding a zero in front will
                      make the padding be zeros
```



Integer Formatting "Rules"



(In actual code, don't leave spaces between anything.)

Must always contain the opening and closing curly braces, the colon, and the 'd' specifier.



Float Formatting Examples

```
>>> midAvg = 142.86581
>>> print("The midterm average was {:2.0}".format(midAvg))
The midterm average was 1e+02
>>> print("The midterm average was {:2.0f}".format(midAvg))
The midterm average was 143
                                Need to specify that it's a
                               float to prevent truncation
```

```
>>> print("The midterm average was {:3.1f}".format(midAvg))
The midterm average was 142.9
>>> print("The midterm average was {:1.3f}".format(midAvg))
```

The midterm average was 142.866

Floats will never "lose" the numbers before the decimal



Float Formatting Examples

```
>>> midAvg = 142.86581
>>> print("The midterm average was {:15f}".format(midAvg))
The midterm average was
                             142.865810
                                            Specifying "too many"
                                            digits will add padding
>>> print("The midterm average was {:015f}".format(midAvg))
The midterm average was 00000142.865810
                                          Adding a zero in front will
                                         make the padding be zeros
```


>>> print("The midterm average was {:.9f}".format(midAvg))

The midterm average was 142.865810000

"Too many" digits after the period will add trailing zeros to the decimal (never spaces)



Float Formatting "Rules"



(In actual code, don't leave spaces between anything.)

Maximum number of digits after decimal

Will automatically round, or will pad with trailing zeros




String Formatting Examples

Doesn't work with strings! (At least, not by itself.)



String Formatting "Rules"



(In actual code, don't leave spaces between anything.)

String Formatting on Multiple Items

Applying to Multiple Items

- To apply string formatting to more than one variable (or literal) within a string, simply use
 - Two sets of { } braces with formatting info
 - Two items in the parentheses at the end

```
>>> major = "CMSC"
>>> print("Ready for {:10s} {:04d}?".format(major, 202))
Ready for CMSC 0202?
```

Will be matched up based on their order



Possible Multiple Item Errors

- If there are too many items
 - Python ignores the extra ones at the end

```
>>> print("It's {:10s} {:2d}, {:4d}".format("April", 16, 2018, "MD"))

It's April 16, 2018
```

- If there are too many sets of { } braces
 - Python will throw an error

```
>>> print("It's {:10s} {:2d}, {:4d}".format("April", 16))
Traceback (most recent call last):
   File "<stdin>", line 1, in <module>
IndexError: tuple index out of range
```

The what index?

Quick Side Note: Tuples

- Tuples are a data structure nearly identical in behavior to lists
 - Lists use square brackets []
 - Tuples use parentheses ()
- Tuples are <u>im</u>mutable
 - Can be indexed, sliced, concatenated, etc.
 - Does not allow "in place" editing or appending

Getting Fancy

Center



Alignment Options

Can left, right, or center align with formatting:

```
Left
                         In Python 3, left is the
                      default for strings, and right
Right
                        is default for numbers
```

```
>>> print("why not {:6s}?".format("both")) # default
why not both ?
>>> print("why not {:>6s}?".format("both")) # right
why not
         both?
>>> print("why not {:^6s}?".format("both")) # center
why not both?
```

UMBC

Padding Characters

- Default padding for strings is spaces
- Default padding for numbers is zeros
- Can replace padding with any single character
 - To prevent errors, specify the alignment too

```
>>> print("why not {:+<6s}?".format("both"))
why not both++?
>>> print("Is this {:~^8d}?".format(currYear))
Is this ~~2018~~?
```



Using Variables

- You can use variables for any of the values in the formatting (size, padding character, etc.)
 - Must use concatenation to put together


```
>>> c = "~"
>>> print( ("why not {:" + c + "^7d}?").format(2))
why not ~~~2~~~?
```

A better way is to make the string first

```
>>> sentence = "why not {:" + c + "^7d}?"
>>> print(sentence.format(2))
```



"Rules" for Fancy Stuff





Example Usage of Formatting

```
kennel = ["Akita", "Boxer", "Collie", "Dalmatian", "Eurasier"]
for i in range(len(kennel)):
   print("There is a {:>10s} in pen".format(kennel[i]), i)
```

— What would the outcome be here?

```
There is a
               Akita in pen 0
There is a
               Boxer in pen 1
There is a
              Collie in pen 2
There is a Dalmatian in pen 3
There is a
            Eurasier in pen 4
```

String Formatting Exercises

Formatting Exercises

```
print("My dog {}.".format("Hrabowski"))

    What formatting is needed for each outcome?

  My dog
          Hrabowski.
  My dog Hrabowski
  My dog Hrabowski .
  My dog Hrabowski .
```



Formatting Exercises

```
print("My dog {}.".format("Hrabowski"))
```

What formatting is needed for each outcome?

```
Hrabowski.
My dog
   {:>11s}
My dog Hrabowski
   {:<11s} <
My dog Hrabowski .
   {: ^11s}
My dog Hrabowski
  {: ^12s} ←
```

Left aligned is default, so specifying isn't technically necessary. {:11s}

If perfect centering isn't possible, the extra character goes on the right.



More Formatting Exercises

```
PI = 3.1415926535897932384626433
print("Isn't {} great?".format(PI))
```

What formatting is needed for each outcome?
 Isn't 3.141593 great?

```
Isn't 3.141593 great?
```

Isn't 003.14 great?



More Formatting Exercises

```
PI = 3.1415926535897932384626433
print("Isn't {} great?".format(PI))
```

What formatting is needed for each outcome?

require an alignment.



Even More Formatting Exercises

What formatting would be generated here?

```
print("{:1.3f}".format(PI))
print("{:*^10s} is great!".format("Neary"))
print("It's over {:0<4d}!".format(9))</pre>
print("{:>7s} {:^^7s}".format("Hello", "world"))
```



Even More Formatting Exercises


What formatting would be generated here?

```
print("{:1.3f}".format(PI))
    3.142
print("{:*^10s} is great!".format("Neary"))
    **Neary*** is great!
print("It's over {:0<4d}!".format(9))
    It's over 9000!
print("{:>7s} {:^^7s}".format("Hello", "world"))
    Hello ^world^
```



Daily CS History

- Sophie Wilson
 - Designed the AcornMicro-Computer in 1979
 - Wrote BBC BASIC, the programming language
 - Designed the instruction set of the ARM processor
 - Most widely-used architecture in modern smartphones



Announcements

- Project 2 is out on Blackboard now
 - Project is due by Friday (Apr 20th) at 8:59:59 PM

- Final exam is when?
 - -Friday, May 18th from 6 to 8 PM
 - If you can't take the exam at that time, you need to let Dr. Gibson know via email NOW, not later

Image Sources

- Sophie Wilson (adapted from)
 - https://www.flickr.com/photos/101251639@N02/9669448671